





MAYTUN





I Index

II Company Overview 01

III Products

STAINLESS STEEL COIL / SHEET 02

STAINLESS STEEL BAR 03

- Flat & Angle Bar / Checker Plate / U Channel

- Round / Square / Hexagon Bar

STAINLESS STEEL INDUSTRIAL PIPE 04

STAINLESS STEEL ORNAMENTAL TUBE

- Round Tube 05

- Square Tube / Rectangular Tube 06

STAINLESS STEEL PERFORATED/ HEAT RESISTANCE PIPE

STAINLESS STEEL OVAL TUBE 07

STAINLESS STEEL SLOT TUBE 08

STAINLESS STEEL FITTING 09

INDEX

COMPANY OVERVIEW

Established in 1986, Maytun International Corp. is a leading expert in the field of stainless steel products.

Our Products

We specialize in supplying stainless steel coils, plates, sheets, pipes, tubes and fittings with a wide variety of materials, sizes and shapes. Our products have been highly recommended and applied in different industries, e.g., petro-chemical industry, mechanical construction, sanitary equipment, furniture, decoration, automobile industry and other related fields.

Our Services

For decades, we have been distinguished by our ability to ensure all business requirements are met within budget restraints and time schedules, thereby increasing the profits for our customers all over the world. Our distribution network expands rapidly in many countries. More and more companies have been working with us as long term partners.

Our Values

We take our customers' needs as top priority, and strive to satisfy each specific requirement.






STAINLESS STEEL COIL / SHEET

ASTM A240 / A480

Product Type	Finish		Thickness (mm)	Width (mm)	Grade
Coil	HR	No.1	2.0 ~ 12.0	750 ~ 1524	201 202 430 304 304 L 316 316 L
	CR	2B No.4 No.5 HL BA Mirror	0.2 ~ 3.0	3 ~ 1524	
Sheet	HR	No.1	2.0 ~ 30.0	750 ~ 1524	
			30.0 ~ above	UPON REQUEST	
	CR	2B No.4 No.5 HL BA Mirror	0.4 ~ 3.0	750 ~ 1524	



STAINLESS STEEL FLAT / ANGLE BAR

ASTM A276 / A484M

Specification	Width (mm)	Thickness (mm)
Hot Rolled	25 ~ 150	3 ~ 15
Cold Drawn	20 ~ 120	2 ~ 40

STAINLESS STEEL U CHANNEL


ASTM A276 / A484M

Specification	Thickness (mm)	Height (mm)	Width (mm)
Welded	3 ~ 20	50 ~ 280	25 ~ 100
Hot Rolled	3 ~ 10	80 ~ 120	40 ~ 60

STAINLESS STEEL ROUND/ SQUARE/ HEXAGON BAR

ASTM A276/ A484M

Product Type	Specification	Diameter (mm)	Length (M)
Round Bar	Hot Rolled	10 ~ 130	2.5 ~ 6.5
	Forged	130 ~ 300	
	Cold Drawn	3 ~ 65	
Square Bar	Hot Rolled	12*12 ~ 60*60	
	Cold Drawn	1.2*1.2 ~ 60*60	
Hexagon Bar	Cold Drawn	6 ~ 80	



STAINLESS STEEL INDUSTRIAL PIPE

ASTM A312 / A778 / A358

Outside Diameter		Thickness	SCH 5S	SCH 10S	SCH 40S	SCH 80S
NB	NPS/Inch	(mm)	mm	mm	mm	mm
8	1/4	13.72		1.65	2.24	3.02
10	3/8	17.15		1.65	2.31	3.20
15	1/2	21.34	1.65	2.11	2.77	3.73
20	3/4	26.67	1.65	2.11	2.87	3.91
25	1	33.40	1.65	2.77	3.38	4.55
32	1 1/4	42.16	1.65	2.77	3.56	4.85
40	1 1/2	48.26	1.65	2.77	3.68	5.08
50	2	60.33	1.65	2.77	3.91	5.54
65	2 1/2	73.03	2.11	3.05	5.16	7.01
80	3	88.90	2.11	3.05	5.49	7.62
90	3 1/2	101.60	2.11	3.05	5.74	8.08
100	4	114.30	2.11	3.05	6.02	8.56
125	5	141.30	2.77	3.40	6.55	9.52
150	6	168.28	2.77	3.40	7.11	10.97
200	8	219.08	2.77	3.76	8.18	12.70
250	10	273.05	3.40	4.19	9.27	12.70
300	12	323.85	3.96	4.57	9.52	12.70
350	14	355.60	3.96	4.78	11.13	
400	16	406.40	4.19	4.78	12.70	
450	18	457.20	4.19	4.78	14.27	
500	20	508.00	4.78	5.54	15.09	
550	22	558.80	4.78	5.54		
600 ~ 1000	24 ~ 40	609.60 ~ 1016.00	5.54	6.35	17.48	



STAINLESS STEEL ROUND TUBE

ASTM A554 / JIS G3446

Outside Diameter		0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.5	1.6	1.65	2.0	2.5	3.0	4.0
inch	mm															
	6.0															
	8.0															
3/8	9.5															
	10.0															
	12.0															
1/2	12.7															
	14.0															
5/8	15.9															
3/4	19.0															
	20.0															
	21.3															
7/8	22.2															
	25.0															
1	25.4															
	28.0															
1 1/8	28.6															
	30.0															
1 1/4	31.8															
	35.0															
1 1/2	38.1															
	40.0															
	41.28															
	42.4															
	44.45															
	48.26															
2	50.8															
	54.0															
	57.0															
2 1/2	63.5															
3	76.2															
3 1/2	88.9															
4	101.6															
4 1/2	114.3															
	127.0															
	139.7															

***Polish- Hairline, 180G, 320G, 400G, 600G, Mirror**

STAINLESS STEEL SQUARE TUBE

ASTM A554

Outside Diameter		0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.5	1.6	2.0	2.5	3.0	4.0	5.0	6.0
Thickness	mm															
	10*10															
1/2*1/2	12.7*12.7															
	15*15															
	18*18															
3/4*3/4	19*19															
	20*20															
	25*25															
1*1	25.4*25.4															
	30*30															
1 1/4*1 1/4	31.8*31.8															
1 1/2*1 1/2	38.1*38.1															
	40*40															
	50*50															
2*2	50.8*50.8															
	60*60															
	70*70															
	75*75															
	80*80															
	90*90															
	100*100															



STAINLESS STEEL RECTANGULAR TUBE

ASTM A554

Outside Diameter		0.5	0.6	0.7	0.8	0.9	1.0	1.2	1.5	1.6	2.0	2.5	3.0	4.0	5.0	6.0
Thickness (mm)																
1 0 * 2 0																
1 0 * 3 0																
1 0 * 4 0																
1 0 * 5 0																
1 0 * 7 5																
1 2 * 2 5																
1 5 * 3 0																
1 5 * 4 0																
1 5 * 4 5																
1 5 * 5 0																
1 5 * 7 5																
2 0 * 4 0																
2 5 * 3 8																
2 5 * 5 0																
2 5 * 7 5																
3 0 * 6 0																
4 0 * 6 0																
4 0 * 8 0																
4 5 * 7 5																
4 5 * 9 5																
5 0 * 1 0 0																




Polish- Hairline, 180G,
320G, 400G, 600G, Mirror

STAINLESS STEEL PERFORATED/ HEAT RESISTANCE PIPE

GRADE 409/ 409L/ 429/ 430/ 432/ 436L/ 439L

Applications	Exhaust System, Silence System
Outside Diameter (mm)	12.7 / 15.9 / 19 / 22.2 / 25.4 / 31.8 / 33 / 35 / 38.1 / 41.3 / 42.7 / 45 / 48.6 / 50.8 / 51.6 / 54/ 57 / 60.5 / 63.5 / 65 / 68 / 76.2
Thickness (mm)	0.6- 2.0



STAINLESS STEEL OVAL TUBE

GRADE 304/ 316

Oval Size	Thickness
mm	mm
23*38	1.0~3.0
38*62	
40*80	
40*110	
42*75	
50*100	
60*120	



STAINLESS STEEL SLOT TUBE

Applications	Glass Hand Rail, Frame of Heavy Curtain, Interior Decoration
Grade	304 / 304L / 316 / 316L
Polish	180G, 320G, 400G, 600G, Mirror



STAINLESS STEEL SINGLE SLOT ROUND TUBE

Outside Diameter	Thickness	Slot (Width*Depth)	Thickness of Glass
mm	mm	mm	mm
25.4	1.0 ~ 3.0	12*12	5 ~ 10
38.1		15*15 / 20*26	8 ~ 18
42.4		20*20 / 20*26	8 ~ 18
48.3		27*30 / 20*32	10 ~ 22
50.8		15*15 / 20*20 / 20*32	5 ~ 13
60.3		34*34	10 ~ 22
63.5		20*20 / 20*32	8 ~ 18
76.2		25*25	10 ~ 22



STAINLESS STEEL DOUBLE SLOT TUBE

Product Type	Outside Diameter (mm)
Round Tube	50.8 / 63.5 / 76.2
Square Tube	24*24 / 40*80 / 50*50 / 75*75 / 50*100



STAINLESS STEEL SINGLE SLOT OVAL TUBE

Outside Diameter	Thickness	Slot (Width*Depth)	Thickness of Glass
mm	mm	mm	mm
40*60	1.0 ~ 3.0	15*15	5 ~ 10
40*80		20*20 / 33*26 / 20*32	8 ~ 18
40*110		33*26	10 ~ 22
50*100		25*25	10 ~ 22



STAINLESS STEEL SINGLE SLOT SQUARE/RECTANGULAR TUBE

Outside Diameter	Thickness	Slot (Width*Depth)	Thickness of Glass
mm	mm	mm	mm
21*25	1.0 ~ 3.0	14*14	5 ~ 10
20*40		15*15	5 ~ 12
25*50		20*20	8 ~ 15
40*40		24*24	10 ~ 22
40*60		24*24	10 ~ 22

STAINLESS STEEL FITTING



Size (inch)	1", 1 1/4", 1 1/2", 2", 2 1/2", 3"
Grade	304 / 304L / 316 / 316L
Thickness (mm)	1.0 / 1.2 / 1.5 / 2.0



MAYTUN INTERNATIONAL CORP.
No. 120, Sec. 2, Wunyuan Road,
Beidou, Changhua, Taiwan
TEL: 886-4-8781876
FAX: 886-4-8781735
WEB: www.stainless-steel.com.tw
MAIL: maytun@ms26.hinet.net